

Sample THC-P tincture

|          |                                             |           |                |                    |              |
|----------|---------------------------------------------|-----------|----------------|--------------------|--------------|
| Lab ID:  | BBL_7017                                    | Matrix:   | Tincture       | Analyses Executed: | CAN          |
| Company: | The Concord                                 | Lot ID:   | THC-P tincture | Reported:          | 08 Nov, 2024 |
| Phone:   | 504-451-8484                                | Received: | 30 Sep, 2024   |                    |              |
| Address: | 2305 E. 16th Street Unit B Austin, TX 78702 |           |                |                    |              |
| Email:   | hi@ridetheconcord.com                       |           |                |                    |              |

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.

Cannabinoid Profile Analysis

Analyzed 30 Sep, 2024 | Instrument HPLC-PDA | Method TM-101  
Uncertainty Measurement at 95% confidence level is 10%, k=2

| Analyte                               | LOD (ppm) | LOQ (ppm) | Result % | Result (mg/g) | mg/ml   | mg/pack |
|---------------------------------------|-----------|-----------|----------|---------------|---------|---------|
| Cannabidivarinic acid (CBDVa)         | 0.030     | 0.080     | ND       | ND            | ND      | ND      |
| Cannabidivarin (CBDV)                 | 0.050     | 0.150     | ND       | ND            | ND      | ND      |
| Cannabidiolic acid (CBDa)             | 0.040     | 0.110     | ND       | ND            | ND      | ND      |
| Cannabigerolic acid (CBGa)            | 0.040     | 0.120     | ND       | ND            | ND      | ND      |
| Cannabigerol (CBG)                    | 0.080     | 0.230     | 0.6053   | 6.053         | 6.3048  | 94.572  |
| Cannabidiol (CBD)                     | 0.060     | 0.190     | 0.2135   | 2.135         | 2.2238  | 33.357  |
| Tetrahydrocannabivarin (THCV)         | 0.080     | 0.240     | ND       | ND            | ND      | ND      |
| Tetrahydrocannabivarinic acid (THCVa) | 0.050     | 0.160     | ND       | ND            | ND      | ND      |
| Cannabinol (CBN)                      | 0.040     | 0.120     | ND       | ND            | ND      | ND      |
| Cannabinolic acid (CBNa)              | 0.080     | 0.250     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabinol (D9-THC)      | 0.120     | 0.360     | 0.2833   | 2.833         | 2.9509  | 44.2635 |
| D8-Tetrahydrocannabinol (D8-THC)      | 0.140     | 0.430     | ND       | ND            | ND      | ND      |
| Cannabicyclol (CBL)                   | 0.210     | 0.640     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabinolic acid (THCa) | 0.130     | 0.400     | ND       | ND            | ND      | ND      |
| Cannabichromene (CBC)                 | 0.090     | 0.280     | ND       | ND            | ND      | ND      |
| Cannabichromenic acid (CBCa)          | 0.350     | 1.060     | ND       | ND            | ND      | ND      |
| THCO-Acetate D8 (THCOAc-D8)           | 0.220     | 0.670     | ND       | ND            | ND      | ND      |
| THCO-Acetate D9 (THCOAc-D9)           | 0.250     | 0.750     | ND       | ND            | ND      | ND      |
| Hexahydrocannabinol-9R (HHC-9R)       | 0.150     | 0.450     | ND       | ND            | ND      | ND      |
| Hexahydrocannabinol-9S (HHC-9S)       | 0.230     | 0.680     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabiphorol (D9-THCP)  | 0.270     | 0.820     | 0.0787   | 0.787         | 0.8197  | 12.2955 |
| D8-Tetrahydrocannabiphorol (D8-THCP)  | 0.210     | 0.630     | ND       | ND            | ND      | ND      |
| Hexahydrocannabinol-9R (HHCP-9R)      | 0.150     | 0.460     | ND       | ND            | ND      | ND      |
| Hexahydrocannabinol-9S (HHCP-9S)      | 0.240     | 0.730     | ND       | ND            | ND      | ND      |
| HHC-Acetate (HHCO)                    | 0.280     | 0.840     | ND       | ND            | ND      | ND      |
| Total THC (THCa * 0.877 + THC)        |           |           | 0.2833   | 2.833         |         |         |
| Total CBD (CBDa * 0.877 + CBD)        |           |           | 0.2135   | 2.135         |         |         |
| Total CBG (CBGa * 0.877 + CBG)        |           |           | 0.6053   | 6.053         |         |         |
| Total Cannabinoids                    |           |           | 1.1808   | 11.808        | 12.2992 | 184.488 |

Volume: 15.0000 ml, Density: 1.0416

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count




Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
08 Nov, 2024 12:42:59 PM

Sample Photography



## HME - Heavy Metals Detection Analysis

Analyzed 30 Sep, 2024 | Instrument ICP-MS | Method TM-105  
Analysis Comment: Result '0' implies detection less than LOQ.

| Analyte      | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------|-----------|-----------|-------------|------|------------|
| Arsenic (As) | 0.005     | 0.015     | ND          |      |            |
| Cadmium (Cd) | 0.005     | 0.016     | ND          |      |            |
| Mercury (Hg) | 0.004     | 0.013     | ND          |      |            |
| Lead (Pb)    | 0.075     | 0.224     | ND          |      |            |

## MIB - Microbial Testing Analysis

Analyzed 30 Sep, 2024 | Instrument PCR/ Plating | Method TM-109

| Analyte                                | Limit (CFU/g) | Result CFU/g | Flag |
|----------------------------------------|---------------|--------------|------|
| Salmonella SPP                         |               | Negative     |      |
| Total Yeast & Mold                     |               | <10          |      |
| Aspergillus fumigatus                  |               | Negative     |      |
| Aspergillus flavus                     |               | Negative     |      |
| Aspergillus niger                      |               | Negative     |      |
| Aspergillus terreus                    |               | Negative     |      |
| Shiga toxin-producing Escherichia Coli |               | Negative     |      |

## PES - Pesticides Screening Analysis

Analyzed 30 Sep, 2024 | Instrument LCMS-MS | Method Subcontracted

| Analytes            | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|---------------------|-----------|-----------|-------------|------|------------|
| Abamectin           | 0.110     | 0.330     | N D         |      |            |
| Acephate            | 0.230     | 0.700     | N D         |      |            |
| Acequinocyl         | 0.110     | 0.320     | N D         |      |            |
| Acetamiprid         | 0.020     | 0.050     | N D         |      |            |
| Aldicarb            | 0.020     | 0.050     | N D         |      |            |
| Azoxystrobin        | 0.020     | 0.060     | N D         |      |            |
| Bifenazate          | 0.010     | 0.030     | N D         |      |            |
| Bifenthrin          | 0.020     | 0.060     | N D         |      |            |
| Boscalid            | 0.060     | 0.170     | N D         |      |            |
| Carbaryl            | 0.010     | 0.040     | N D         |      |            |
| Carbofuran          | 0.010     | 0.020     | N D         |      |            |
| Chlorpyrifos        | 0.010     | 0.030     | N D         |      |            |
| Chlorantraniliprole | 0.010     | 0.030     | N D         |      |            |
| Clofentezine        | 0.010     | 0.040     | N D         |      |            |
| Coumaphos           | 0.040     | 0.120     | N D         |      |            |
| Cyfluthrin          | 2.320     | 7.020     | N D         |      |            |
| Cypermethrin        | 0.370     | 1.130     | N D         |      |            |
| Daminozide          | 0.550     | 1.650     | N D         |      |            |
| Dichlorvos          | 0.050     | 0.140     | N D         |      |            |
| Dimethoate          | 0.010     | 0.020     | N D         |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
08 Nov, 2024 12:42:59 PM

| Analytes                | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|-------------------------|-----------|-----------|-------------|------|------------|
| Dimethomorph            | 0.010     | 0.030     | N D         |      |            |
| Ethoprophos             | 0.020     | 0.050     | N D         |      |            |
| Etoxazole               | 0.010     | 0.020     | N D         |      |            |
| Etofenprox              | 0.010     | 0.040     | N D         |      |            |
| Fenhexamid              | 0.040     | 0.140     | N D         |      |            |
| Fenoxycarb              | 0.020     | 0.060     | N D         |      |            |
| Fenpyroximate           | 0.010     | 0.040     | N D         |      |            |
| Fipronil                | 0.010     | 0.040     | N D         |      |            |
| Fludioxinil             | 0.020     | 0.050     | N D         |      |            |
| Flunicamide             | 0.010     | 0.030     | N D         |      |            |
| Imazalil                | 0.060     | 0.170     | N D         |      |            |
| Hexythiazox             | 0.010     | 0.020     | N D         |      |            |
| Imidacloprid            | 0.040     | 0.110     | N D         |      |            |
| Kresoxim-methyl         | 0.020     | 0.050     | N D         |      |            |
| Malathion               | 0.010     | 0.030     | N D         |      |            |
| Metalaxyl               | 0.010     | 0.020     | N D         |      |            |
| Methiocarb              | 0.010     | 0.030     | N D         |      |            |
| Methomyl                | 0.020     | 0.050     | N D         |      |            |
| Mevinphos               | 0.060     | 0.180     | N D         |      |            |
| Myclobutanil            | 1.190     | 3.610     | N D         |      |            |
| Naled                   | 0.030     | 0.080     | N D         |      |            |
| Paclobutrazole          | 0.020     | 0.060     | N D         |      |            |
| Oxamyl                  | 0.020     | 0.050     | N D         |      |            |
| Permethrin              | 0.080     | 0.260     | N D         |      |            |
| Phosmet                 | 0.010     | 0.030     | N D         |      |            |
| Piperonyl butoxide      | 0.010     | 0.040     | N D         |      |            |
| Prallethrin             | 0.100     | 0.300     | N D         |      |            |
| Propiconazole           | 0.070     | 0.220     | N D         |      |            |
| Propoxur                | 0.010     | 0.030     | N D         |      |            |
| Pyrethrin-I             | 0.020     | 0.060     | N D         |      |            |
| Pyridaben               | 0.010     | 0.020     | N D         |      |            |
| Spinetoram              | 0.230     | 0.690     | N D         |      |            |
| Spinosyn A              | 0.010     | 0.020     | N D         |      |            |
| Spinosyn D              | 0.000     | 0.010     | N D         |      |            |
| Spiromesifen            | 0.050     | 0.140     | N D         |      |            |
| Spirotetramat           | 0.010     | 0.030     | N D         |      |            |
| Spiroxamine             | 0.010     | 0.030     | N D         |      |            |
| Tebuconazole            | 0.010     | 0.030     | N D         |      |            |
| Thiachloprid            | 0.010     | 0.030     | N D         |      |            |
| Thiamethoxam            | 0.010     | 0.040     | N D         |      |            |
| Methyl parathion        | 0.050     | 0.140     | N D         |      |            |
| Diazinon                | 0.010     | 0.040     | N D         |      |            |
| Trifloxystrobin         | 0.010     | 0.030     | N D         |      |            |
| Chlordane               | 0.740     | 2.250     | N D         |      |            |
| Chlorfenapyr            | 0.830     | 2.530     | N D         |      |            |
| Pentachloronitrobenzene | 0.060     | 0.170     | N D         |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
NTNC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
08 Nov, 2024 12:42:59 PM

RES – Residual Solvent Analysis

Analyzed 30 Sep, 2024 | Instrument HS-GC/MS | Method TM-106

| Analyte            | LOD (ppm) | LOQ (ppm) | Result (ppm) | Flag | Limit ug/g |
|--------------------|-----------|-----------|--------------|------|------------|
| Propane            | 0.470     | 1.410     | N D          |      |            |
| Butane             | 0.200     | 0.610     | N D          |      |            |
| Methanol           | 0.070     | 0.230     | N D          |      |            |
| Pentane            | 0.130     | 0.410     | N D          |      |            |
| Ethanol            | 0.130     | 0.380     | N D          |      |            |
| Ethyl ether        | 0.020     | 0.070     | N D          |      |            |
| Acetone            | 0.060     | 0.180     | N D          |      |            |
| Isopropyl alcohol  | 0.030     | 0.090     | N D          |      |            |
| Acetonitrile       | 0.020     | 0.060     | N D          |      |            |
| Methylene chloride | 0.010     | 0.020     | N D          |      |            |
| Hexane             | 0.030     | 0.080     | N D          |      |            |
| Ethyl acetate      | 0.030     | 0.080     | N D          |      |            |
| Chloroform         | 0.010     | 0.030     | N D          |      |            |
| Benzene            | 0.010     | 0.030     | N D          |      |            |
| 1 2-Dichloroethane | 0.010     | 0.030     | N D          |      |            |
| Heptane            | 0.020     | 0.060     | N D          |      |            |
| Trichloroethene    | 0.010     | 0.030     | N D          |      |            |
| Toluene            | 0.010     | 0.020     | N D          |      |            |
| Isobutane          | 3.900     | 11.820    | N D          |      |            |
| Ethyl benzene      | 1.700     | 5.160     | N D          |      |            |
| m p-Xylenes        | 0.010     | 0.030     | N D          |      |            |
| o-Xylene           | 0.010     | 0.020     | N D          |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
08 Nov, 2024 12:42:59 PM